

Publikationen Plastische und Ästhetische, Hand & Wiederherstellungs chirurgie
2007 -2012

Quellen:

www.ncbi.nlm.nih.gov/pubmed
www.bioxbio.com

Overall Impact:

293,49

Overall Publications:

107

Liste:

1. Alt E, Pinkernell K, Scharlau M, et al. Effect of freshly isolated autologous tissue resident stromal cells on cardiac function and perfusion following acute myocardial infarction. *Int J Cardiol*;144:26-35. (IF 7,078)
2. Alt E, Yan Y, Gehmert S, et al. Fibroblasts share mesenchymal phenotypes with stem cells, but lack their differentiation and colony-forming potential. *Biol Cell*;103:197-208. (IF 3,6)
3. Altman AM, Prantl L, Muehlberg FL, et al. Wound microenvironment sequesters adipose-derived stem cells in a murine model of reconstructive surgery in the setting of concurrent distant malignancy. *Plast Reconstr Surg*;127:1467-77. (IF 3,382)
4. Ammer J, Prantl L, Holler B, et al. Successful treatment of a refractory skin ulcer in chronic cutaneous GvHD after allogeneic HSCT with split-thickness skin allografting from the stem cell donor. *Bone Marrow Transplant*;47:1368-9. (IF 3,792)
5. Babilas P, Lamby P, Prantl L, et al. Transcutaneous pO₂ imaging during tourniquet-induced forearm ischemia using planar optical oxygen sensors. *Skin Res Technol* 2008;14:304-11. (IF 1,348)
6. Bai X, Sadat S, Gehmert S, Alt E, Song YH. VEGF receptor Flk-1 plays an important role in c-kit expression in adipose tissue derived stem cells. *FEBS Lett* 2007;581:4681-4. (IF 3,538)
7. Berner A, Pfaller C, Dienstknecht T, et al. Arthroplasty of the lunate using bone marrow mesenchymal stromal cells. *Int Orthop*;35:379-87. (IF 2,025)
8. Brandl A, Angele P, Roll C, Prantl L, Kujat R, Kinner B. Influence of the growth factors PDGF-BB, TGF-beta1 and bFGF on the replicative aging of human articular chondrocytes during in vitro expansion. *J Orthop Res*;28:354-60. (IF 2,811)
9. Breu A, Sprinzing B, Merkl K, et al. Estrogen reduces cellular aging in human mesenchymal stem cells and chondrocytes. *J Orthop Res*;29:1563-71. (IF 2,811)
10. Clevert DA, Stock K, Klein B, et al. Evaluation of Acoustic Radiation Force Impulse (ARFI) imaging and contrast-enhanced ultrasound in renal tumors of unknown etiology in comparison to histological findings. *Clin Hemorheol Microcirc*

2009;43:95-107. (IF 3,398)

11. Eisenmann-Klein M. [Women-specific aspects of plastic surgery in international comparison]. Chirurg 2007;Suppl:253-4. (IF 0,539)
12. Endres S, Hiebl B, Hagele J, et al. Angiogenesis and healing with non-shrinking, fast degradable PLGA/CaP scaffolds in critical-sized defects in the rabbit femur with or without osteogenically induced mesenchymal stem cells. Clin Hemorheol Microcirc;48:29-40. (IF 3,398)
13. Engel E, Santarelli F, Vasold R, et al. Modern tattoos cause high concentrations of hazardous pigments in skin. Contact Dermatitis 2008;58:228-33. (IF 3,47)
14. Fellner C, Jung EM, Prantl L. Dynamic contrast-enhanced MRI as a valuable non-invasive tool to evaluate tissue perfusion of free flaps: Preliminary results. Clin Hemorheol Microcirc;46:77-87. (IF 3,398)
15. Fellner C, Prantl L, Rennert J, Stroszczynski C, Jung EM. Comparison of time-intensity-curve- (TIC-) analysis of contrast-enhanced ultrasound (CEUS) and dynamic contrast-enhanced (DCE) MRI for postoperative control of microcirculation in free flaps - first results and critical comments. Clin Hemorheol Microcirc;48:187-98. (IF 3,398)
16. Feser DK, Grundl M, Eisenmann-Klein M, Prantl L. Attractiveness of eyebrow position and shape in females depends on the age of the beholder. Aesthetic Plast Surg 2007;31:154-60. (IF 1,407)
17. Fuchtmeier B, Brockner S, Hente R, Maghsudi M, Nerlich M, Prantl L. The treatment of dislocated humeral head fractures with a new proximal intramedullary nail system. Int Orthop 2008;32:759-65. (IF 1,235)
18. Fuchtmeier B, May R, Hente R, et al. Proximal humerus fractures: a comparative biomechanical analysis of intra and extramedullary implants. Arch Orthop Trauma Surg 2007;127:441-7. (IF 1,369)
19. Gehmert S, Bai X, Klein S, Ortmann O, Prantl L. Limitation of in vivo models investigating angiogenesis in breast cancer. Clin Hemorheol Microcirc;49:519-26. (IF 3,398)
20. Gehmert S, Geis S, Lamby P, et al. Evaluation of hyperbaric oxygen therapy for free flaps using planar optical oxygen sensors. Preliminary results. Clin Hemorheol Microcirc;48:75-9. (IF 3,398)
21. Gehmert S, Hidayat M, Sultan M, et al. Angiogenesis: the role of PDGF-BB on adipose-tissue derived stem cells (ASCs). Clin Hemorheol Microcirc;48:5-13. (IF 3,398)
22. Gehmert S, Jung EM, Kugler T, et al. Sonoelastography Can Be Used to Monitor the Restoration of Achilles Tendon Elasticity after Injury. Ultraschall Med;33:581-6. (IF 3,260)
23. Gehmert S, Prantl L, Vykoukal J, Alt E, Song YH. Breast cancer cells attract the migration of adipose tissue-derived stem cells via the PDGF-BB/PDGFR-beta signaling pathway. Biochem Biophys Res Commun;398:601-5. (IF 2,484)
24. Gehmert S, Sadat S, Song YH, Yan Y, Alt E. The anti-apoptotic effect of IGF-1 on tissue resident stem cells is mediated via PI3-kinase dependent secreted frizzled related protein 2 (Sfrp2) release. Biochem Biophys Res Commun 2008;371:752-5. (IF 2,484)
25. Gehmert S, Velapatino B, Herrera P, et al. Interleukin-1 beta single-nucleotide polymorphism's C allele is associated with elevated risk of gastric cancer in

- Helicobacter pylori-infected Peruvians. *Am J Trop Med Hyg* 2009;81:804-10. (IF 2,592)
26. Geis S, Babilas P, Schreml S, et al. Transcutaneous pO₂ measurement during tourniquet-induced venous occlusion using dynamic phosphorescence imaging. *Clin Hemorheol Microcirc* 2008;40:249-58. (IF 3,398)
27. Geis S, Gehmert S, Lamby P, et al. Contrast enhanced ultrasound (CEUS) and time intensity curve (TIC) analysis in compartment syndrome: first results. *Clin Hemorheol Microcirc*;50:1-11. (IF 3,398)
28. Geis S, Prantl L, Gehmert S, et al. TTP (time to PEAK) and RBV (regional blood volume) as valuable parameters to detect early flap failure. *Clin Hemorheol Microcirc*;48:81-94. (IF 3,398)
29. Geis S, Schreml S, Lamby P, et al. Postoperative assessment of free skin flap viability by transcutaneous pO₂ measurement using dynamic phosphorescence imaging. *Clin Hemorheol Microcirc* 2009;43:11-8. (IF 3,398)
30. Girlich C, Schacherer D, Lamby P, Scherer MN, Schreyer AG, Jung EM. Innovations in contrast enhanced high resolution ultrasound improve sonographic imaging of the intestine. *Clin Hemorheol Microcirc*;45:207-15. (IF 3,398)
31. Gosau M, Burgers R, Vollkommer T, Holzmann T, Prantl L. Effectiveness of antibacterial copper additives in silicone implants. *J Biomater Appl.* (IF 2,082)
32. Gosau M, Prantl L, Feldmann M, Kokott A, Hahnel S, Burgers R. The effects of copper additives on the quantity and cell viability of adherent *Staphylococcus epidermidis* in silicone implants. *Biofouling*;26:359-65. (IF 3,333)
33. Gosau M, Schoeneich M, Koyama K, Jung EM, Fanghanel J, Prantl L. Ultrasound analyses, anatomical considerations, and clinical experience with the peroneus brevis muscle flap. *Ann Anat.* (IF 1,861)
34. Grieb G, Groger A, Piatkowski A, Markowicz M, Steffens GC, Pallua N. Tissue substitutes with improved angiogenic capabilities: an in vitro investigation with endothelial cells and endothelial progenitor cells. *Cells Tissues Organs*;191:96-104. (IF 3,232)
35. Grundl M, Eisenmann-Klein M, Prantl L. Quantifying female bodily attractiveness by a statistical analysis of body measurements. *Plast Reconstr Surg* 2009;123:1064-71. (IF 2,743)
36. Grundl M, Klein S, Horczakiwskyj R, et al. The "jaguar's eye" as a new beauty trend? Age-related effects in judging the attractiveness of the oblique eye axis. *Aesthetic Plast Surg* 2008;32:915-9. (IF 0,782)
37. Grundl M, Knoll S, Eisenmann-Klein M, Prantl L. The blue-eyes stereotype: do eye color, pupil diameter, and scleral color affect attractiveness? *Aesthetic Plast Surg*;36:234-40. (IF 1,407)
38. Haubner F, Ohmann E, Pohl F, Prantl L, Strutz J, Gassner HG. Effects of radiation on the expression of adhesion molecules and cytokines in a static model of human dermal microvascular endothelial cells. *Clin Hemorheol Microcirc.* (IF 3,398)
39. Heine N, Eisenmann-Klein M, Prantl L. Gigantomasty: treatment with a short vertical scar. *Aesthetic Plast Surg* 2008;32:41-7. (IF 0,782)
40. Heitland AS, Markowicz MP, Koellensperger E, Schoth F, Pallua N. Early and long-term evaluation of perfusion changes in free DIEP-flaps for breast reconstruction via IC-view and duplex ultrasound: autonomous or peripheral perfusion? *J Reconstr Microsurg* 2009;25:139-45. (IF 0,642)

41. Huber M, Prantl L, Gehmert S. Successful treatment of nonunion in severe finger injury with low-intensity pulsed ultrasound (LIPUS): a case report. *J Med Case Rep*;6:209. (IF 0,35)
42. Jung EM, Kubale R, Clevert DA, et al. B-flow and B-flow with 3D and SRI postprocessing before intervention and monitoring after stenting of the internal carotid artery. *Clin Hemorheol Microcirc* 2007;36:35-46. (IF 3,398)
43. Jung EM, Prantl L, Schreyer AG, et al. New perfusion imaging of tissue transplants with Contrast Harmonic Ultrasound Imaging (CHI) and Magnetic Resonance Imaging (MRI) in comparison with laser-induced Indocyanine Green (ICG) fluorescence angiography. *Clin Hemorheol Microcirc* 2009;43:19-33. (IF 3,398)
44. Jung EM, Ross CJ, Rennert J, et al. Characterization of microvascularization of liver tumor lesions with high resolution linear ultrasound and contrast enhanced ultrasound (CEUS) during surgery: First results. *Clin Hemorheol Microcirc*;46:89-99. (IF 3,398)
45. Khouri RK, Eisenmann-Klein M, Cardoso E, et al. Brava and autologous fat transfer is a safe and effective breast augmentation alternative: results of a 6-year, 81-patient, prospective multicenter study. *Plast Reconstr Surg*;129:1173-87. (IF 3,382)
46. Kinner B, Seemann M, Roll C, et al. [Sports and activities after achilles tendon injury of the recreational athlete]. *Sportverletz Sportschaden* 2009;23:210-6. (IF 0,415)
47. Kinner B, Tietz S, Muller F, Prantl L, Nerlich M, Roll C. Outcome after complex trauma of the foot. *J Trauma*;70:159-68; discussion 68. (IF 2,478)
48. Klein SM, Prantl L, Berner A, et al. A new method to quantify the effect after subcutaneous injection of lipolytic substances. *Aesthetic Plast Surg* 2008;32:667-72; discussion 73-4. (IF 0,782)
49. Klein SM, Schreml S, Nerlich M, Prantl L. In vitro studies investigating the effect of subcutaneous phosphatidylcholine injections in the 3T3-L1 adipocyte model: lipolysis or lipid dissolution? *Plast Reconstr Surg* 2009;124:419-27. (IF 2,743)
50. Klein SM, Vykoukal J, Lechler P, et al. Noninvasive in vivo assessment of muscle impairment in the mdx mouse model--a comparison of two common wire hanging methods with two different results. *J Neurosci Methods*;203:292-7. (IF 1,98)
51. Lamby P, Prantl L, Fellner C, Geis S, Jung EM. Post-operative monitoring of tissue transfers: advantages using contrast enhanced ultrasound (CEUS) and contrast enhanced MRI (ceMRI) with dynamic perfusion analysis? *Clin Hemorheol Microcirc*;48:105-17. (IF 3,398)
52. Lamby P, Prantl L, Gais S, et al. Evaluation of the vascular integrity of free flaps based on microcirculation imaging techniques. *Clin Hemorheol Microcirc* 2008;39:253-63. (IF 3,398)
53. Lamby P, Prantl L, Schreml S, et al. Improvements in high resolution ultrasound for postoperative investigation of capillary microperfusion after free tissue transfer. *Clin Hemorheol Microcirc* 2009;43:35-49. (IF 3,398)
54. Lechler P, Klein SM, Prantl L, Englert C, Renkawitz T, Grifka J. Hypoxic downregulation of cellular proliferation and loss of phenotype stability in human osteoblasts is mediated by HIF-1alpha. *Clin Hemorheol Microcirc*;49:279-86. (IF 3,398)
55. Lechler P, Schaumburger J, Kock FX, et al. The oncofetal gene survivin promotes cell proliferation and survival in primary human osteoblastic cells. *Calcif Tissue Int*;89:211-20. (IF 2,376)

56. Lenich A, Bachmeier S, Prantl L, et al. Is the rotation of the femoral head a potential initiation for cutting out? A theoretical and experimental approach. *BMC Musculoskelet Disord*;12:79. (IF 1,577)
57. Markl P, Prantl L, Schreml S, Babilas P, Landthaler M, Schwarze H. Management of split-thickness donor sites with synthetic wound dressings: results of a comparative clinical study. *Ann Plast Surg*;65:490-6. (IF 1,274)
58. Meier JK, Prantl L, Muller S, Moralis A, Liebsch G, Gosau M. Simple, fast and reliable perfusion monitoring of microvascular flaps. *Clin Hemorheol Microcirc*;50:13-24. (IF 3,398)
59. Moser C, Ruemmele P, Gehmert S, et al. STAT5b as Molecular Target in Pancreatic Cancer-Inhibition of Tumor Growth, Angiogenesis, and Metastases. *Neoplasia*;14:915-25. (IF 5,946)
60. Mueller MB, Blunk T, Appel B, et al. Insulin is essential for in vitro chondrogenesis of mesenchymal progenitor cells and influences chondrogenesis in a dose-dependent manner. *Int Orthop*. (IF 2,025)
61. Mueller MB, Fischer M, Zellner J, et al. Hypertrophy in mesenchymal stem cell chondrogenesis: effect of TGF-beta isoforms and chondrogenic conditioning. *Cells Tissues Organs*;192:158-66. (IF 2,203)
62. Mueller S, Gosau M, Wendl CM, et al. Postoperative evaluation of microvascularization in mandibular reconstructions with microvascular flaps - First results with a new perfusion software for contrast-enhanced sonography (CEUS). *Clin Hemorheol Microcirc*;52:187-96. (IF 3,398)
63. Mueller S, Meier JK, Wendl CM, Jung EM, Prantl L, Gosau M. Mandibular reconstruction with microvascular re-anastomosed fibular free flaps - Two complementary methods of postoperative transplant monitoring. *Clin Hemorheol Microcirc*;52:141-51. (IF 3,398)
64. Muhlan H, Eisenmann-Klein M, Schmidt S. Psychological features in a german sample of female cosmetic surgery candidates. *Aesthetic Plast Surg* 2007;31:746-51. (IF 0,782)
65. Muller S, Gosau M, Strobel D, et al. Assessment of bone microcirculation by contrast-enhanced ultrasound (CEUS) and [18F]-positron emission tomography/computed tomography in free osseous and osseocutaneus flaps for mandibular reconstruction: preliminary results. *Clin Hemorheol Microcirc*;49:115-28. (IF 3,398)
66. Pfeifer C, Muller M, Prantl L, Berner A, Dendorfer S, Englert C. Cartilage labelling for mechanical testing in T-peel configuration. *Int Orthop*;36:1493-9. (IF 2,025)
67. Pfister K, Rennert J, Greiner B, et al. Pre-surgical evaluation of ICA-stenosis using 3D power Doppler, 3D color coded Doppler sonography, 3D B-flow and contrast enhanced B-flow in correlation to CTA/MRA: first clinical results. *Clin Hemorheol Microcirc* 2009;41:103-16. (IF 3,398)
68. Poepl N, Schreml S, Lichtenegger F, Lenich A, Eisenmann-Klein M, Prantl L. Does the surface structure of implants have an impact on the formation of a capsular contracture? *Aesthetic Plast Surg* 2007;31:133-9. (IF 0,782)
69. Prantl L, Ashary I, Eisenmann-Klein M, Schwarze H. Modification of the second stage of auricular elevation in Nagata's technique for treating microtia. *Scand J Plast Reconstr Surg Hand Surg* 2007;41:109-13. (IF 0,588)

70. Prantl L, Babilas P, Roll C, et al. The use of 'fasciocutaneous' and 'osteofasciocutaneous' parascapular flaps for lower limb reconstruction: a retrospective study of 20 patients. *J Plast Reconstr Aesthet Surg* 2009;62:973-80. (IF 1,508)
71. Prantl L, Burgers R, Schreml S, Zellner J, Gosau M. A novel antibacterial silicone implant material with short- and long-term release of copper ions. *Plast Reconstr Surg*;125:78e-80e. (IF 3,382)
72. Prantl L, Fellner C, Jung ME. Evaluation of free flap perfusion with dynamic contrast-enhanced magnetic resonance imaging. *Plast Reconstr Surg*;126:100e-1e. (IF 3,382)
73. Prantl L, Fichtner-Feigl S, Hofstaedter F, Lenich A, Eisenmann-Klein M, Schreml S. Flow cytometric analysis of peripheral blood lymphocyte subsets in patients with silicone breast implants. *Plast Reconstr Surg* 2008;121:25-30. (IF 2,591)
74. Prantl L, Gehmert S, Nerlich M, Schmid C, Jung EM. Successful reconstruction of sternum with a scapular autograft segment: 5-year follow-up. *Ann Thorac Surg*;92:1889-91. (IF 3,741)
75. Prantl L, Grundl M. Males prefer a larger bust size in women than females themselves: an experimental study on female bodily attractiveness with varying weight, bust size, waist width, hip width, and leg length independently. *Aesthetic Plast Surg*;35:693-702. (IF 1,407)
76. Prantl L, Heine N. [Options for regenerative therapy in the field of breast surgery]. *Handchir Mikrochir Plast Chir*;44:103-11. (IF 0,875)
77. Prantl L, Muehlberg F, Navone NM, et al. Adipose tissue-derived stem cells promote prostate tumor growth. *Prostate*;70:1709-15. (IF 3,377)
78. Prantl L, Pfeifer C, Geis S, Gosau M, Jung EM. Osteocutaneous free flaps: a critical analysis of quantitative evaluation of bone microcirculation with contrast-enhanced high resolution ultrasound (hrCEUS) and TIC analysis. *Clin Hemorheol Microcirc*;49:251-9. (IF 3,398)
79. Prantl L, Pfister K, Kubale R, et al. Value of high resolution ultrasound and contrast enhanced US pulse inversion imaging for the evaluation of the vascular integrity of free-flap grafts. *Clin Hemorheol Microcirc* 2007;36:203-16. (IF 3,398)
80. Prantl L, Schmitt S, Gais S, et al. Contrast harmonic ultrasound and indocyanine-green fluorescence video angiography for evaluation of dermal and subdermal microcirculation in free parascapular flaps. *Clin Hemorheol Microcirc* 2008;38:31-44. (IF 3,398)
81. Prantl L, Schmitt S, Geis S, et al. Contrast harmonic ultrasound and indocyanine-green fluorescence video angiography for evaluation of dermal and subdermal microcirculation in free parascapular flaps. *Clin Hemorheol Microcirc* 2008;38:105-18. (IF 3,398)
82. Prantl L, Schreml S, Fichtner-Feigl S, et al. Clinical and morphological conditions in capsular contracture formed around silicone breast implants. *Plast Reconstr Surg* 2007;120:275-84. (IF 2,591)
83. Prantl L, Schreml S, Schwarze H, et al. A safe and simple technique using the distal pedicled reversed upper arm flap to cover large elbow defects. *J Plast Reconstr Aesthet Surg* 2008;61:546-51. (IF 1,235)
84. Prantl L, Schreml S, Walter M, et al. Evaluation of microcirculation of free flaps of the lower leg by contrast harmonic imaging (CHI) with time intensity curve (TIC)

- analysis. *Clin Hemorheol Microcirc* 2008;39:343-50. (IF 3,398)
85. Roll C, Prantl L, Feser D, Nerlich M, Kinner B. Functional donor-site morbidity following (osteo-) fasciocutaneous parascapular flap transfer. *Ann Plast Surg* 2007;59:410-4. (IF 1,14)
86. Roll C, Prantl L, Nerlich M, Kinner B. Osteo-fasciocutaneous parascapular flap transfer for reconstruction of the first ray of the foot. *Arch Orthop Trauma Surg* 2008;128:857-63. (IF 0,965)
87. Sadat S, Gehmert S, Song YH, et al. The cardioprotective effect of mesenchymal stem cells is mediated by IGF-I and VEGF. *Biochem Biophys Res Commun* 2007;363:674-9. (IF 2,648)
88. Schnitzbauer AA, Lamby PE, Mutzbauer I, von Hassel J, Geissler EK, Schlitt HJ. [Challenges in the organization of investigator initiated trials: in transplantation medicine]. *Chirurg*;82:249-54. (IF 0,703)
89. Schnitzbauer AA, Lamby PE, Mutzbauer I, Zuelke C, Schlitt HJ, Geissler EK. Procedures for ethical review for clinical trials within the EU. *BMJ* 2009;338:b1893. (IF 13,66)
90. Schnitzbauer AA, Zuelke C, Graeb C, et al. A prospective randomised, open-labeled, trial comparing sirolimus-containing versus mTOR-inhibitor-free immunosuppression in patients undergoing liver transplantation for hepatocellular carcinoma. *BMC Cancer*;10:190. (IF 3,153)
91. Schreml S, Babilas P, Fruth S, et al. Harvesting human adipose tissue-derived adult stem cells: resection versus liposuction. *Cytotherapy* 2009;11:947-57. (IF 2,204)
92. Schreml S, Gruendobler B, Schreml J, et al. Neurocutaneous melanosis in association with Dandy-Walker malformation: case report and literature review. *Clin Exp Dermatol* 2008;33:611-4. (IF 1,779)
93. Schreml S, Heine N, Eisenmann-Klein M, Prantl L. Bacterial colonization is of major relevance for high-grade capsular contracture after augmentation mammoplasty. *Ann Plast Surg* 2007;59:126-30. (IF 1,14)
94. Schreml S, Meier RJ, Weiss KT, et al. A sprayable luminescent pH sensor and its use for wound imaging in vivo. *Exp Dermatol*;21:951-3. (IF 3,543)
95. Schreml S, Szeimies RM, Prantl L, Karrer S, Landthaler M, Babilas P. Oxygen in acute and chronic wound healing. *Br J Dermatol*;163:257-68. (IF 4,351)
96. Schreml S, Szeimies RM, Prantl L, Landthaler M, Babilas P. Wound healing in the 21st century. *J Am Acad Dermatol*;63:866-81. (IF 4,274)
97. Schwarze H, Kuntscher M, Uhlig C, et al. Suprathel, a new skin substitute, in the management of donor sites of split-thickness skin grafts: results of a clinical study. *Burns* 2007;33:850-4. (IF 1,605)
98. Schwarze H, Kuntscher M, Uhlig C, et al. Suprathel, a new skin substitute, in the management of partial-thickness burn wounds: results of a clinical study. *Ann Plast Surg* 2008;60:181-5. (IF 1,14)
99. Song YH, Gehmert S, Sadat S, et al. VEGF is critical for spontaneous differentiation of stem cells into cardiomyocytes. *Biochem Biophys Res Commun* 2007;354:999-1003. (IF 2,484)
100. Sukhova I, Muller D, Eisenmann-Klein M, Machens HG, Schantz JT. [Quo vadis? Breast implants--current trends and new concepts]. *Handchir Mikrochir Plast Chir*;44:240-53. (IF 1,318)

101. Suzuki M, McHugh J, Tork C, et al. GDNF secreting human neural progenitor cells protect dying motor neurons, but not their projection to muscle, in a rat model of familial ALS. *PLoS One* 2007;2:e689. (IF 4,351)
102. Topel I, Pfister K, Moser A, et al. Clinical outcome and quality of life after upper extremity arterial trauma. *Ann Vasc Surg* 2009;23:317-23. (IF 1,169)
103. Tsui TY, Obed A, Siu YT, et al. Carbon monoxide inhalation rescues mice from fulminant hepatitis through improving hepatic energy metabolism. *Shock* 2007;27:165-71. (IF 3,394)
104. Ulrich D, Ulrich F, Pallua N, Eisenmann-Klein M. Effect of tissue inhibitors of metalloproteinases and matrix metalloproteinases on capsular formation around smooth and textured silicone gel implants. *Aesthetic Plast Surg* 2009;33:555-62. (IF 1,179)
105. Weiser B, Prantl L, Schubert TE, et al. In vivo development and long-term survival of engineered adipose tissue depend on in vitro precultivation strategy. *Tissue Eng Part A* 2008;14:275-84. (IF 4,022)
106. Wendl CM, Muller S, Meier J, et al. High resolution contrast-enhanced ultrasound and 3-tesla dynamic contrast-enhanced magnetic resonance imaging for the preoperative characterization of cervical lymph nodes: First results. *Clin Hemorheol Microcirc*;52:153-66. (IF 3,398)
107. Zellner J, Mueller M, Berner A, et al. Role of mesenchymal stem cells in tissue engineering of meniscus. *J Biomed Mater Res A*;94:1150-61. (IF 3,044)

Stand 18.12.2012 /me